

Centre for Recent Brachiopod Taxonomy

Houthaak 2-A
2611 LE Delft
The Netherlands

Tel. & fax: + 31 152132590
E-mail: biosysm@cistron.nl

WWW: <http://biosysm.www.cistron.nl/centre.htm>

Report prepared with Eledone version 2.0e for Windows.
This report prepared on 1999-02-10 for user Ron Voskuil.
Report printed from main database table ZMA_BRA.
165 samples contained in this collection.
Printing condition - all records

Lingulidae

Glottidia albida (Hinds, 1845)

- 15 USA, California, San Pedro Bay. Coll. Schepman; leg. Shackelford
- 16 USA, California. Leg. W.H. Weeks
- 17 USA, California. Leg. W.H. Weeks

Lingula lingua (Lightfoot, 1786)

- 1 Australia, Western Australia (New Holland).
- 2 China. Coll. van Heukelom
- 3 Indonesia, Moluccas. Coll. van Heukelom
- 4 China. Coll. van Heukelom
- 5 Indonesia, Flores, Nangadewe (Danga); in silt offshore, near mangrove; March 1965. Leg. Fr. M. Vianney
- 6 Indonesia, Java Island, Surabaya; 07°14'00"S-112°45'00"E. Don. C. Scheepmaker
- 7 Indonesia, Moluccas. Don. G. de Serière
- 9 Indonesia, Moluccas. Coll. Schepman; leg. Sangster
- 10 Indonesia, Java Island, Surabaya; 07°14'00"S-112°45'00"E.
- 11 Indonesia, West Irian, S coast, Merauke; 1956. Leg. G.V. Hansen
- 13 Indonesian Sea. Coll. Schepman
- 14 Indonesia, Assahan, Tandjong Tiram; November 14, 1921. Leg. Jhr. F.C. van Heurn
- 34 - Siboga 2/3 Indonesia, Ambon (Siboga Expedition, no station number).
- 156 Siboga Expedition, general.

Lingula rostrum Shaw, 1798

- 8 ?. Coll. Schepman; don. v.d. Sleen
- 12 China. Don. Jhr. J.C. Martens

Discinidae

Discinisca cumingi (Broderip, 1833)

- 21 Central America.

Discinisca keiensis Jackson & Stiasny, 1937

- û 33 - Siboga 7 Indonesia, N point of Nahu Jaan, Kei (Kai) Islands; sand, coral and shells; depth 90 m. Siboga Expedition, Statn. 260.

Discinisca laevis (G.B. Sowerby I, 1822)

- 23 Chile.

Discinisca lamellosa (Broderip, 1833)

- 19 Peru.
- 20 South Sea. Coll. Schepman
- 24 Peru.
- 25 Panama (Pacific side).
- 26 Chile, Arica; 18°30'00"S-070°20'00"W. Leg. W.H. Gravestain
- 27 Peru, Lima, Pucusana; March 18, 1966. Coll. H.K. Mienis

Discinisca sp. Jackson & Stiasny

- 35 - Siboga 6 Indonesia, S of Tukang Besi Is., SE of Celebes; solid bluish grey and brown mud with forams; depth 2798 m. Siboga Expedition, Statn. 221.

Discinisca stella (Gould, 1860)

- 22 Japan. Leg. Wright

Discinisca tenuis (Sowerby, 1847)

- 28 Namibia, between Walvis Bay and Swakopmund; 1964. Leg. E. van Urk

Craniidae

***Neocrania anomala* (Müller, 1776)**

18 Norway; on a stone. Coll. van Heukelom

Basiliolidae

***Acanthobasiliola doederleini* (Davidson, 1886)**

36 - Siboga 9 Indonesia, Djampeja, S of Saleyer Is., S of Celebes; pale grey mud, etc.; depth 120-400 m. Siboga Expedition, Statn. 65a.

***Basiliola pompholyx* Dall, 1920**

- 37 - Siboga 11 Philippines, Sulu Islands; coral bottom; depth 275 m. Siboga Expedition, Statn. 105.
38 - Siboga 10 Philippines, Sulu Islands; coral bottom; depth 275 m. Siboga Expedition, Statn. 105.
39 - Siboga 36 Philippines, Sulu Islands; coral bottom; depth 275 m. Siboga Expedition, Statn. 105.
40 - Siboga 35 Indonesia, Kei (Kai) Islands; coral sand and dead coral; depth 487 m. Siboga Expedition, Statn. 259.

Hemithyrididae

***Hemithiris psittacea* (Gmelin, 1791)**

- 29 Greenland.
30 North Sea.
31 Greenland. Coll. Schepman

Terebratulidae

***Dysedrosia borneoensis* (Dall, 1920)**

46 - Siboga 30 Indonesia, near Kei (Kai) Islands; solid bluish mud, upper layer more liquid and brown mud; depth 560 m. Siboga Expedition, Statn. 262.

***Gryphus vitreus* (Born, 1778)**

- 41 Italy, Capraia Island; 43°02'00"N-009°49'00"E; depth 200 m; 1982. Ex coll. Hoenselaar
42 Mediterranean. Coll. Schepman
43 Corsica, Bocce de Bonifacio; depth 100 m; 1978. Ex coll. Hoenselaar; from A. Margelli
44 France, Bouches-du-Rhône, Golfe du Fos, Carro; from fisherman; May 1988. Ex coll. Hoenselaar
45 Mediterranean.
157 Italy, Capraia Island; 43°02'00"N-009°49'00"E; dredged, depth 200 m; 1982. Coll. Hoenselaar

***Tichosina cubensis* (Pourtalès, 1867)**

32 Mexico, offshore (Caribbean); 1869. U.S. Deep Sea Expedition

Cancellothyrididae

***Terebratulina* (*Terebratulina*) *cailleti* Crosse, 1865**

- 60 Barbados, off W coast; depth 85-100 fms; September 1977. Don. D. Hunt, 1977
159 Barbados, 0.5 mi. off Holetown; dredged, depth 100 m, muddy sand, shell debris, sponge bottom; November 19, 1964.

***Terebratulina* (*Terebratulina*) *callinome* Dall, 1920**

- 62 - Siboga Philippines, Sulu Islands; coral bottom; depth 275 m. Siboga Expedition, Statn. 105.
63 - Siboga 19 Philippines, Sulu Islands; coral bottom; depth 275 m. Siboga Expedition, Statn. 105.
65 - Siboga 14 Philippines, Sulu Islands; coral bottom; depth 275 m. Siboga Expedition, Statn. 105.
66 - Siboga 16 Philippines, Sulu Islands; coral bottom; depth 275 m. Siboga Expedition, Statn. 105.
70 - Siboga 18 Philippines, Sulu Islands; coral bottom; depth 275 m. Siboga Expedition, Statn. 105.

***Terebratulina* (*Terebratulina*) *japonica* (Sowerby, 1846)**

- 59 Japan.
71 Japan. Coll. v. Heukelom

Terebratulina (Terebratulina) photina Dall, 1920

- 47 - Siboga 20 Indonesia, Arafura Sea, near Kei (Kai) Islands; hard coral sand; depth 204 m. Siboga Expedition, Statn. 251.
67 - Siboga ? Indonesia, Arafura Sea, near Kei (Kai) Islands; hard coral sand; depth 204 m. Siboga Expedition, Statn. 251.

Terebratulina (Terebratulina) retusa (Linné, 1758)

- 54 Italy, Sicily, Sciacca. Leg. Del Prete
55 Italy, Sicily, Sciacca. Leg. Dr. C. Alzona, 1926
56 Norway, Hordaland, Bergen.
57 United Kingdom (Great Britain), England.
58 Northern Seas.
155 Norway, Trondheim, Agdenes; August 1973. Coll. Hoenselaar
164 Italy, Capraia Island; 43°02'00"N-009°49'00"E; depth 300 m; August 1985.
H.J. Hoenselaar don.

Terebratulina sp.

- 162 New Zealand.

Terebratulina sp. Indian Ocean

- 69 Indian Ocean.

Terebratulina (Terebratulina) valdiviae Blochmann, 1908

- 48 - Siboga ** Philippines, N Ubian, Sulu Islands; 06°09'00"N-120°21'00"E; sand; depth 350 m. Siboga Expedition, Statn. 98.
49 - Siboga ? Indonesia, Arafura Sea, near Kei (Kai) Islands; hard coral sand; depth 204 m. Siboga Expedition, Statn. 251.
50 - Siboga 21 Indonesia, E of Rotti (SW end of Timor); soft grey mud; depth 520 m. Siboga Expedition, Statn. 297.
51 - Siboga ? Indonesia, Arafura Sea, near Kei (Kai) Islands; hard coral sand; depth 204 m. Siboga Expedition, Statn. 251.
52 - Siboga 15 Indonesia, Bougainville Strait; grey muddy sand, shells and Lithothamnion; depth 83 m. Siboga Expedition, Statn. 154.
53 - Siboga 38a Indonesia, Celebes Sea, N of Manado; stone bottom; depth 1165-1264 m. Siboga Expedition, Statn. 122.
61 - Siboga 22 Indonesia, Flores Sea, E coast of Sumbawa; sand with few pieces of dead coral; depth 73 m. Siboga Expedition, Statn. 310.
64 - Siboga 24? Indonesia, Arafura Sea, near Kei (Kai) Islands; hard coral sand; depth 204 m. Siboga Expedition, Statn. 251.
68 - Siboga ? Indonesia, Kei (Kai) Islands; grey mud with coral and stones; depth 596 m. Siboga Expedition, Statn. 266.

Zeilleriidae

Macandrevia cranium (Müller, 1776)

- 78 ?.
79 Netherlands, Noord Holland, Bakkum; July 1965. Ex coll. B. v.d. Most, 1979; leg. R.G. Moolenbeek, 1982
163 Norway, Trondheim, Agdenes; August 1973. Coll. Hoenselaar

Megathyrididae

Argyrotheca rubrotincta (Dall, 1871)

- 160 Barbados, 0.5 mi. off Holetown; dredged, depth 100 m, muddy sand, shell debris, sponge bottom; November 19, 1964.

Argyrotheca schrammi (Crosse & Fischer, 1866)

- 158 Curaçao, Spaanse Water, NE, Jan Sofat, W of Isla de Yerba; depth 5 m, muddy sand; November 1, 1969.

Megathiris detruncata (Gmelin, 1791)

- 148 Mediterranean.

Platidiidae

Amphithyris seminula (Philippi, 1836)

- 165 Italy, Capraia Island; 43°02'00"N-009°49'00"E; depth 300 m; August 1985.
H.J. Hoenselaar don.

Annuloplatidia hornii (Gabb, 1861)

- 128 USA, California, San Pedro Bay; depth 200 fms. Leg. Oldroyd; coll. Schepman

Platidia davidsoni (Deslongchamps, 1855)

- 127 Algeria, Algiers, Bona.
- 129 ?. Leg. Sowerby

Kraussinidae

Kraussina rubra (Pallas, 1766)

- 130 South Africa, Tafelbaai, Woodstock; 1925. Coll. Jo Koker
- 131 South Africa, Cape, Jeffreys Bay; 34°05'00"S-024°55'00"E; July 1948. Leg. Mrs B.E. Hofman, 's Gravenzande
- 132 South Africa; April 1973. Leg. Van Dam
- 133 South Africa, Cape, Jeffreys Bay; 34°05'00"S-024°55'00"E; July 17, 1950. Leg. W.F. van Ee
- 134 South Africa, Cape, Port Elizabeth; 33°58'00"S-025°36'00"E; September 1950. Leg. A. Brandsma; don. W.H. Gravesteyn
- 135 South Africa, Cape, East London, Gonubie; on beach. Leg. W.G.N. van der Steen
- 136 South Africa, Cape, Cape of Good Hope.

Megerlia truncata (Linné, 1767)

- 137 Portugal, Algarve, Portimao; 37°08'00"N-008°32'00"W; July 1992. Coll. Bob Bruins
- 138 France, Bouches-du-Rhône, Golfe du Fos, Carro; from local fisherman; October 1988. Leg. H.J. Hoenselaar
- 139 ?. Coll. Jhr. B.W.F. van Riemsdijk
- 140 Italy, Sicily, Sciacca; coral reefs. Don. Carlo Alzona 1925
- 141 Italy, Sicily, Sciacca.
- 142 Mediterranean.
- 143 Norway.
- 144 Italy, Sicily, Sciacca. Coll. Schepman; leg. del Prete

Megerlina lamarckiana (Davidson, 1852)

- 145 Australia, Tasmania. Coll. Schepman
- 149 Australia, New South Wales, Port Jackson.

Megerlina natalensis (Krauss, 1843)

- 146 South Africa, Natal.
- 147 South Africa, Tafelbaai, Woodstock.

Dallinidae

Campages asthenia Dall, 1920

- 73 - Siboga ? Indonesia, W of Letti Is., NE of Timor; dredge brought up glossy black manganese nodules; depth 1224 m. Siboga Expedition, Statn. 280.
- 75 - Siboga 37 Indonesia, W of Letti Is., NE of Timor; dredge brought up glossy black manganese nodules; depth 1224 m. Siboga Expedition, Statn. 280.
- 76 - Siboga 34 Indonesia, Western entrance of Samau Strait (W of Timor); coarse coral-sand with small stones; depth 390 m. Siboga Expedition, Statn. 59.
- 77 - Siboga 38 Indonesia, Celebes Sea, N of Manado; stone bottom; depth 1165-1264 m. Siboga Expedition, Statn. 122.

Campages mariae (A. Adams, 1860)

- 72 - Siboga 41 Indonesia, Arafura Sea, near Kei (Kai) Islands; hard coral sand; depth 204 m. Siboga Expedition, Statn. 251.
- 74 - Siboga 63 Philippines, Sulu Islands; coral bottom; depth 275 m. Siboga Expedition, Statn. 105.

Dallina floridana (Pourtalès, 1868)

- 86 Mexico, offshore (Caribbean). U.S. Deepsea Expedition, 1869

Terebratellidae

Bouchardia rosea (Mawe, 1823)

- 112 Brazil.

Calloria inconspicua (Sowerby, 1846)

- 83 New Zealand.
- 113 New Zealand, North Island, Auckland, Rangitoto Island; February 1984. Leg. N. Gardner
- 114 New Zealand, McLeods Bay; 1966. Leg. Dorothy White
- 115 New Zealand, Waipu Beach; 1965. Leg. Mrs Dorothy White; don. H. Mienis
- 116 New Zealand. Leg. Cuming

117 New Zealand. Coll. Schepman

161 New Zealand. Ex. Cuming

Magasella haurakiensis (Allan, 1931)

110 New Zealand, North Island, Hauraki Gulf; dredged offshore, depth 30 fms;
September 1987. Leg. L. Ford

111 New Zealand; June 30, 1973. Coll. J. Moonen

Magasella sanguinea (Leach, 1814)

107 New Zealand. Coll. van Heukelom

109 New Zealand. Coll. van Heukelom

Magellania flavescens (Lamarck, 1819)

108 Australia. Coll. J. van Son

122 Australia, South Australia, Normanville, Lady Bay. Ex Malacological
Society of South Australia

123 New Zealand. Coll. v. Heukelom

124 Australia. Coll. Schepman

125 Australia.

126 Indonesia, Ambon Island. Leg. E. Scheibener 1926

Magellania venosa ("Solander" Dixon, 1789)

121 USA, California.

Terebratella dorsata (Gmelin, 1791)

118 Chile, Valparaiso, Valparaiso; 33°02'00"S-071°38'00"W. Leg. Cuming

119 Chile, Strait Magellan.

120 Chile, Strait Magellan.

Laqueidae

Frenulina sanguinolenta (Gmelin, 1791)

91 - Siboga 53 Philippines, North-Ubian, Sulu Archipelago; Lithothamnion bottom; depth
16-23 m. Siboga Expedition, Statn. 99.

92 Indonesia, Moluccas. Coll. Hoedt

93 Philippines, Cebu Island; 10°15'00"N-123°40'00"E; 1988. Coll. Samia
Martin, 1990

94 - Siboga 47 Philippines, Pulu-Tongkil, Sulu Archipelago; Lithothamnion bottom; depth
13 m. Siboga Expedition, Statn. 109.

95 - Siboga 50 Indonesia, Djampeja, S of Saleyer Is., S of Celebes; pale grey mud, etc.;
depth 120-400 m. Siboga Expedition, Statn. 65a.

96 - Siboga 48 Philippines, Pulu Sanguisiapo, Tawi-Tawi Is., Sulu Archipelago;
Lithothamnion, sand and coral; depth 8-10 m. Siboga Expedition, Statn. 93.

97 - Siboga 45 Philippines, North-Ubian, Sulu Archipelago; Lithothamnion bottom; depth
16-23 m. Siboga Expedition, Statn. 99.

98 - Siboga 54 Indonesia, N point of Nahu Jaan, Kei (Kai) Islands; sand, coral and
shells; depth 90 m. Siboga Expedition, Statn. 260.

104 - Siboga 49 Philippines, SE side of Pearl Bank, Sulu Archipelago; Lithothamnion; depth
15 m. Siboga Expedition, Statn. 96.

105 - Siboga 52 Indonesia, N of Salomakiee (Damar) island; coral bottom and Lithothamnion;
depth 45 m. Siboga Expedition, Statn. 144.

106 - Siboga ? Philippines, North-Ubian, Sulu Archipelago; Lithothamnion bottom; depth
16-23 m. Siboga Expedition, Statn. 99.

Jolonica hedleyi (Dall, 1920)

89 - Siboga ? Philippines, Sulu Islands; coral bottom; depth 275 m. Siboga Expedition,
Statn. 105.

90 - Siboga ? Philippines, Sulu Islands; coral bottom; depth 275 m. Siboga Expedition,
Statn. 105.

Laqueus californianus (Koch, 1848)

87 USA, California, Oakland. Coll. R.T. Simon Thomas, 1964

88 USA, California. Coll. Schepman

Laqueus rubellus (Sowerby, 1846)

84 Japan.

Pictothyris pictus (Dillwyn, 1817)

80 Indian Sea.

81 Japan. Coll. van Heukelom

82 Japan.

99 USA, California.

100 Japan.

Picthyris? sp. Siboga

85 - Siboga 66 Indonesia, Sebankatan (Siboga Exp.).

Terebrataliidae

Coptothyris adamsi (Davidson, 1871)

102 Japan.

Terebratalia (Terebratalia) transversa (Sowerby, 1846)

101 ?. Coll. Brandt

103 ?. Coll. van Heukelom

Terebratalia? species Jackson & Stiasny, 1937

152 - Siboga 62 Philippines, Sulu Islands; coral bottom; depth 275 m. Siboga Expedition, Statn. 105.

Thecidellinidae

Thecidellina barretti (Davidson, 1864)

153 Curaçao, Vaersenbaai; in shell grit, depth 15-20 m; March 1972. Coll. Fr. Arnoldo Broeders

154 Bonaire; 12°15'00"N-068°27'00"W. Leg. J. Buyse

Thecideidae

Lacazella (Lacazella) mediterranea (Risso, 1826)

150 Mediterranean.

151 Algeria, Algiers, Bona.